

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product form : Mixture  
Product name : Dark Brown LUXE  
Product code : LXTDDB  
Product group : Finished Ink

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.2.1. Relevant identified uses

Main use category : Intended for professional use as tattoo ink/permanent makeup ink.

## 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

Ink Projects LLC  
460 Greenway Industrial Drive, Suite A  
29708 Fort Mill, SC

## 1.4. Emergency telephone number

Emergency number : +1-813-248-0585. In case of emergency search for territorial toxicological emergency number or call 112

Country	Organisation/Company	Address	Emergency number	Comment
Algeria		Algiers		
Australia		Westmead		
Austria		Vienna		
Belarus		Minsk		
Belgium		Brussels		Please dial: 070 245 245 for any urgent questions about intoxication (free of charge 24/7), if not accessible, dial: 02 264 96 30 (standard fee)
Bulgaria		Sofia		The phone is active 24/7 and calls to it are free
Croatia		Zagreb		Information available 24/7 in Croatian and English
Cyprus		Nicosia		Operating hours 24 hours / 24 hours, 7 days a week

# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Country	Organisation/Company	Address	Emergency number	Comment
Czech Republic		Prague		and only in the event of a malfunction, phone 725 103 658 (otherwise there may not be a toxicologist on this phone!) Questions about ACUTE INTOXICATION of people and animals are dealt with exclusively on TIS direct telephone lines 24 hours a day
Denmark		Copenhagen		
Estonia		Tallinn		Calling the hotline is anonymous and at the cost of a local call.
Finland		Helsinki		Open 24 hours a day 0800 147 111 (free of charge) 09 471 977 (normal rate call)
France	Centre antipoison d'Angers	Angers Cedex 9		
Germany		Berlin		
Greece		Athens		
Hungary		Budapest		Emergency number 1: (0-24 hours, free of charge - only from Hungary) Emergency number 2: (0-24 hours, can be called for a normal fee - also from abroad)
Iceland		Reykjavik		Around the clock, every day
Ireland		Dublin		
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Israel		Haifa		
Italy		Bergamo	+39 800 88 33 00	
Jordan		Amman		
Kazakhstan		Almaty		
Latvia		Riga		works 24 hours a day
Lithuania		Vilnius	+370 (85) 236 20 52	

# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Country	Organisation/Company	Address	Emergency number	Comment
Luxembourg		Brussels		Free telephone number with a 24/7 access. Experts answer all urgency questions on dangerous products in French, Dutch and English
Malta		Msida Msida		
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD 2090 Msida	+356 2545 6508	
Mexico		Mexico City		
Morocco		Rabat		
Netherlands	Nationaal Vergiftigingen Informatie Centrum (NVIC)	Huispostnummer Q03.2.315 Utrecht		Only for the purpose of informing medical personnel in cases of acute intoxications (24 hours a day, 7 days a week)
Norway		Folkehelseinstituttet Postboks 222 Skøyen 0213 Oslo		Operating hours 24 hours / 24 hours, 7 days a week
Poland		Gdańsk	+48 512 069 737	
Portugal		Lisbon		
Romania	Spitalul Clinic de Urgenta pentru Copii „Grigore Alexandrescu”	Bucharest		
Russia		Moscow		
Saudi Arabia		Riyadh		
Serbia		Belgrade		
Slovakia		Bratislava	+421 911 166 066	
Slovenia		Ljubljana		
Spain		Las Rozas de Madrid	+34 91 411 26 76 (teléfono solo para médicos)	(Toxicological emergencies only). Information in Spanish (24/7)
Sweden		Solna		
Switzerland		Zürich	+41 44 251 51 51	(from abroad: +41 44 251 51 51) non urgent inquiry: +41 44 251 66 66
Tunisia		Tunis		
Turkey	Ulusal Zehir Danışma Merkezi (UZEM) Halk Sağlığı Genel Müdürlüğü, T.C. Sağlık Bakanlığı	Sağlık Mahallesi Adnan Saygun Cad. No:55 Sıhhiye 06430 Ankara		Information is provided to public and medical personnel on poisoning incidents via 114.
United Arab Emirates		Abu Dhabi		

# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom		Belfast		Only for healthcare professionals
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA Belfast	0344 892 0111	Only for healthcare professionals

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

#### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

### 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

Component	
Paraffinum Liquidum	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Yellow 42 (CI:77492) (51274-00-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
White 6 (CI:77891) (13463-67-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Triethanolamine (102-71-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Glycerin (56-81-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Propylene Glycol (57-55-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Black 7 (CI:77266) (1333-86-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Benzyl Alcohol (100-51-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Ammonium Hydroxide (pH regulator) (1336-21-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Aqua	CAS-No.: 7732-18-5 EC-No.: 231-791-2	25 – 30	Not classified
Yellow 138 (CI:56300)	CAS-No.: 30125-47-4 EC-No.: 250-063-5	25 – 30	Not classified
Acrylates Copolymers	CAS-No.: 25133-97-5	9 – 10	Not classified
Paraffinum Liquidum	EC-No.: 232-455-8	5 – 6	Not classified
Yellow 42 (CI:77492)	CAS-No.: 51274-00-1 EC-No.: 257-098-5	4 – 5	STOT RE 2, H373 Aquatic Chronic 3, H412
White 6 (CI:77891)	CAS-No.: 13463-67-7 EC-No.: 236-675-5 EC Index-No.: 022-006-00-2	4 – 5	Aquatic Chronic 3, H412
Triethanolamine	CAS-No.: 102-71-6 EC-No.: 203-049-8	4 – 5	Not classified
Red 170 (CI:12475)	CAS-No.: 2786-76-7 EC-No.: 220-509-3	3 – 4	Not classified
Glycerin	CAS-No.: 56-81-5 EC-No.: 200-289-5	3 – 4	Acute Tox. 4 (Inhalation:dust,mist), H332
Red 254 (CI:56110)	CAS-No.: 84632-65-5	2 – 3	Not classified
Ammonium Trideceth-6 Phosphate	-	2 – 3	Not classified
Propylene Glycol	CAS-No.: 57-55-6 EC-No.: 200-338-0	2 – 3	Not classified
Black 7 (CI:77266)	CAS-No.: 1333-86-4 EC-No.: 215-609-9	1,7 – 2	Self-heat. 1, H251 Carc. 2, H351 STOT RE 1, H372
Oleth-9	CAS-No.: 9004-98-2	1 – 1,7	Acute Tox. 4 (Dermal), H312 Aquatic Chronic 3, H412
Benzyl Alcohol	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5	1 – 1,7	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:gas), H332
Sodium Bisulfite	CAS-No.: 7631-90-5 EC-No.: 231-548-0 EC Index-No.: 016-064-00-8	0,5 – 1	Not classified
Ammonium Hydroxide (pH regulator)	CAS-No.: 1336-21-6 EC-No.: 215-647-6 EC Index-No.: 007-001-01-2	0,1 – 0,5	Acute Tox. 4 (Oral), H302 Skin Corr. 1, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Lecithin	CAS-No.: 8002-43-5 EC-No.: 221-283-9	0,1 – 0,5	Skin Irrit. 2, H315 STOT SE 3, H335 Aquatic Chronic 1, H410

# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
Ammonium Hydroxide (pH regulator)	CAS-No.: 1336-21-6 EC-No.: 215-647-6 EC Index-No.: 007-001-01-2	(5 ≤ C < 100) STOT SE 3, H335

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: Get medical advice and attention if you feel unwell. Wash skin with plenty of water.
First-aid measures after eye contact	: Get medical advice/attention if you feel unwell. Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

### 5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area.
----------------------	----------------------------

#### 6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.

# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Recommended storage temperature: Maximum 32°C. Keep cool.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

Paraffinum Liquidum (8042-47-5)	
Belgium - Occupational Exposure Limits	
OEL TWA	5 mg/m <sup>3</sup>
OEL STEL	10 mg/m <sup>3</sup>
Germany - Occupational Exposure Limits (TRGS 900)	
Local name	Weißes Mineralöl (Erdöl)
AGW (OEL TWA) [1]	5 mg/m <sup>3</sup> (A)
Peak exposure limitation factor	4(II)
Remark	DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden
Regulatory reference	TRGS900
Hungary - Occupational Exposure Limits	
Local name	OLAJ (ásványi) KÖD
AK (OEL TWA)	5 mg/m <sup>3</sup>
Remark	A határérték a felsorolt, nem rákkeltő, nem reciklált, adalékanyagot nem tartalmazó ásványi olaj aeroszolokra vonatkozik; SCOEL/SUM/163/2011; T
Regulatory reference	5/2020. (II. 6.) ITM rendelet - A kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
Netherlands - Occupational Exposure Limits	
TGG-8u (OEL TWA)	5 mg/m <sup>3</sup>
Slovenia - Occupational Exposure Limits	
Local name	mineralno olje - belo
OEL TWA	5 mg/m <sup>3</sup>

# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Paraffinum Liquidum (8042-47-5)</b>	
OEL STEL	20 mg/m <sup>3</sup>
Remark	Y (Snovi, pri katerih ni nevarnosti za zarodek ob upoštevanju mejnih vrednosti in bat vrednosti)
Regulatory reference	Uradni list RS, št. 72/2021 z dne 11.5.2021
<b>Switzerland - Occupational Exposure Limits</b>	
Local name	Huile de paraffine / Weissöl, pharmazeutisch
MAK (OEL TWA) [1]	5 mg/m <sup>3</sup> (i) / (e)
Critical toxicity	Poumons / Lunge
Notation	SS <sub>C</sub> / SS <sub>C</sub>
Remark	NIOSH, DFG
Regulatory reference	www.suva.ch, 28.03.2022
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH OEL TWA	5 mg/m <sup>3</sup> (Inhalable fraction)
<b>White 6 (CI:77891) (13463-67-7)</b>	
<b>Austria - Occupational Exposure Limits</b>	
Local name	Titandioxid (Alveolarstaub)
MAK (OEL TWA)	5 mg/m <sup>3</sup> (A)
MAK (OEL STEL)	10 mg/m <sup>3</sup> (A, 2x 60(Miw) min)
Regulatory reference	BGBI. II Nr. 156/2021
<b>Belgium - Occupational Exposure Limits</b>	
Local name	Titane (dioxyde de) # Titaandioxide
OEL TWA	10 mg/m <sup>3</sup>
Regulatory reference	Koninklijk besluit/Arrêté royal 19/11/2020
<b>Bulgaria - Occupational Exposure Limits</b>	
Local name	Титанов диоксид
OEL TWA	10 mg/m <sup>3</sup> (респирабилен прах)
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр. 47 от 2021 г., в сила от 04.06.2021 г.)
<b>Croatia - Occupational Exposure Limits</b>	
Local name	Titanov dioksid
GVI (OEL TWA) [1]	10 mg/m <sup>3</sup> U (ukupna prašina) 4 mg/m <sup>3</sup> R (respirabilna prašina)
Regulatory reference	Pravilnik o izmjenama i dopunama Pravilnika o graničnim vrijednostima izloženosti opasnim tvarima pri radu i o biološkim graničnim vrijednostima (NN 1/2021)
<b>Denmark - Occupational Exposure Limits</b>	
Local name	Titandioxid
OEL TWA [1]	6 mg/m <sup>3</sup> beregnet som Ti
Regulatory reference	BEK nr 1426 af 28. juni 2021



# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

White 6 (CI:77891) (13463-67-7)	
Estonia - Occupational Exposure Limits	
Local name	Titaanoksiid
OEL TWA	5 mg/m <sup>3</sup>
Regulatory reference	Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 17.10.2019, 2); Vabariigi Valitsuse 10. märtsi 2019. a määruse nr 84
France - Occupational Exposure Limits	
Local name	Titane (dioxyde de), en Ti
VME (OEL TWA)	10 mg/m <sup>3</sup>
Remark	Valeurs recommandées/admises
Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)
Greece - Occupational Exposure Limits	
Local name	Τιτανίου διοξείδιο
OEL TWA	10 mg/m <sup>3</sup> εισπν. 5 mg/m <sup>3</sup> σναπν.
Regulatory reference	Π.Δ. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους
Ireland - Occupational Exposure Limits	
Local name	Titanium dioxide
OEL TWA [1]	10 mg/m <sup>3</sup> total inhalable dust 4 mg/m <sup>3</sup> respirable dust
Regulatory reference	Chemical Agents Code of Practice 2021
Latvia - Occupational Exposure Limits	
Local name	Titāna dioksīds
OEL TWA	10 mg/m <sup>3</sup>
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325 (Grozījumi Ministru kabineta 2011. gada 1. februārī noteikumiem Nr. 92)
Lithuania - Occupational Exposure Limits	
Local name	Titano dioksidas
IPRV (OEL TWA)	5 mg/m <sup>3</sup>
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)
Poland - Occupational Exposure Limits	
Local name	Ditlenek tytanu
NDS (OEL TWA)	10 mg/m <sup>3</sup> frakcja wdychalna
Remark	Frakcja wdychalna – frakcja aerozolu wnikaćca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia. Obowiązuje jednocześnie oznaczanie stężeń frakcji respirabilnej krzemionki krystalicznej.
Regulatory reference	Dz. U. 2018 poz. 1286
Portugal - Occupational Exposure Limits	
Local name	Dióxido de titânio
OEL TWA	10 mg/m <sup>3</sup>
Remark	A4 (Agente não classificável como carcinogénico no Homem)

# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

White 6 (CI:77891) (13463-67-7)	
Regulatory reference	Norma Portuguesa NP 1796:2014
Romania - Occupational Exposure Limits	
Local name	Dioxid de titan
OEL TWA	10 mg/m <sup>3</sup>
OEL STEL	15 mg/m <sup>3</sup>
Regulatory reference	Hotărârea Guvernului nr. 1.218/2006 (Hotărârea nr. 53/2021)
Slovakia - Occupational Exposure Limits	
Local name	Oxid titaničitý
NPHV (OEL TWA) [1]	5 mg/m <sup>3</sup>
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)
Spain - Occupational Exposure Limits	
Local name	Dióxido de titanio
VLA-ED (OEL TWA) [1]	10 mg/m <sup>3</sup>
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2021. INSHT
Sweden - Occupational Exposure Limits	
Local name	Titandioxid
NGV (OEL TWA)	5 mg/m <sup>3</sup> totaldamm
Remark	3 (Med totaldamm menas de partiklar (aerosoler) som fastnar på ett filter i den provtagare som beskrivs i Metodserien, Provtagning av totaldamm och respirabelt damm, Metod nr 1010, Arbetarskyddsstyrelsen, numera Arbetsmiljöverket. Filterdiametern är normalt 37 mm, men kan även vara 25 mm. Trots sitt namn provtas inte den totala mängden luftburna partiklar med denna metod)
Regulatory reference	Hygieniska gränsvärden (AFS 2018:1)
United Kingdom - Occupational Exposure Limits	
Local name	Titanium dioxide
WEL TWA (OEL TWA) [1]	10 mg/m <sup>3</sup> 4 mg/m <sup>3</sup>
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Iceland - Occupational Exposure Limits	
Local name	Títandíoxíð, sem Ti
OEL TWA	6 mg/m <sup>3</sup>
Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)
Norway - Occupational Exposure Limits	
Local name	Titandioksid
Grenseverdi (OEL TWA) [1]	5 mg/m <sup>3</sup>
Regulatory reference	FOR-2021-06-28-2248
Switzerland - Occupational Exposure Limits	
Local name	Dioxyde de titane / Titandioxid
MAK (OEL TWA) [1]	3 mg/m <sup>3</sup> (a) / (a)
Critical toxicity	VRI / UAW

# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>White 6 (CI:77891) (13463-67-7)</b>	
Notation	SS <sub>C</sub> / SS <sub>C</sub>
Remark	NIOSH
Regulatory reference	www.suva.ch, 01.01.2021
<b>USA - ACGIH - Occupational Exposure Limits</b>	
Local name	Titanium dioxide
ACGIH OEL TWA	10 mg/m <sup>3</sup>
Remark (ACGIH)	TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2021
<b>Triethanolamine (102-71-6)</b>	
<b>Austria - Occupational Exposure Limits</b>	
Local name	Triethanolamin
MAK (OEL TWA)	5 mg/m <sup>3</sup> (E)
MAK (OEL TWA) [ppm]	0,8 ppm
MAK (OEL STEL)	10 mg/m <sup>3</sup> (E, 4x 15(Miw) min)
MAK (OEL STEL) [ppm]	1,6 ppm (4x 15(Miw) min)
Remark	S
Regulatory reference	BGBl. II Nr. 156/2021
<b>Belgium - Occupational Exposure Limits</b>	
Local name	Triéthanolamine # Tri-ethanolamine
OEL TWA	5 mg/m <sup>3</sup>
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021
<b>Czech Republic - Occupational Exposure Limits</b>	
Local name	Triethanolamin
PEL (OEL TWA)	5 mg/m <sup>3</sup>
PEL (OEL TWA) [ppm]	0,8 ppm
NPK-P (OEL C)	10 mg/m <sup>3</sup>
NPK-P (OEL C) [ppm]	1,6 ppm
Remark	D - při expozici se významně uplatňuje pronikání faktoru kůží, I - dráždí sliznice (oči, dýchací cesty), respektive kůži.
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 195/2021 Sb.)
<b>Denmark - Occupational Exposure Limits</b>	
Local name	Triethanolamin
OEL TWA [1]	3,1 mg/m <sup>3</sup>
OEL TWA [2]	0,5 ppm
Regulatory reference	BEK nr 202 af 21/02/2023
<b>Estonia - Occupational Exposure Limits</b>	
Local name	Trietanolamiin
OEL TWA	5 mg/m <sup>3</sup>
OEL STEL	10 mg/m <sup>3</sup>

# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Triethanolamine (102-71-6)	
Remark	S (Sensibiliseeriv aine)
Regulatory reference	Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 21.12.2022, 3)
Finland - Occupational Exposure Limits	
Local name	Trietanoliamiini
HTP (OEL TWA) [1]	5 mg/m <sup>3</sup>
Regulatory reference	HTP-ARVOT 2020 (Sosiaali- ja terveysministeriö)
Germany - Occupational Exposure Limits (TRGS 900)	
Local name	2,2',2''-Nitrilotriethanol
AGW (OEL TWA) [1]	1 mg/m <sup>3</sup> (E)
Peak exposure limitation factor	1(I)
Remark	DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden
Regulatory reference	TRGS900
Ireland - Occupational Exposure Limits	
Local name	Triethanolamine
OEL TWA [1]	5 mg/m <sup>3</sup>
Regulatory reference	Chemical Agents Code of Practice 2021
Lithuania - Occupational Exposure Limits	
Local name	Trietanolaminas
IPRV (OEL TWA)	5 mg/m <sup>3</sup>
TPRV (OEL STEL)	10 mg/m <sup>3</sup>
Remark	J (jautrinantis poveikis)
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)
Portugal - Occupational Exposure Limits	
Local name	Trietanolamina
OEL TWA	5 mg/m <sup>3</sup>
Regulatory reference	Norma Portuguesa NP 1796:2014
Spain - Occupational Exposure Limits	
Local name	Trietanolamina
VLA-ED (OEL TWA) [1]	5 mg/m <sup>3</sup>
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2023. INSHT
Sweden - Occupational Exposure Limits	
Local name	Trietanolamin
NGV (OEL TWA)	5 mg/m <sup>3</sup>
NGV (OEL TWA) [ppm]	0,8 ppm
KTV (OEL STEL)	10 mg/m <sup>3</sup>
KTV (OEL STEL) [ppm]	1,6 ppm

# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Triethanolamine (102-71-6)	
Remark	H (Ämnet kan lätt upptas genom huden. Det föreskrivna gränsvärdet bedöms ge tillräckligt skydd endast under förutsättning att huden är skyddad mot exponering för ämnet ifråga); V (Vägledande korttidsgränsvärde ska användas som ett rekommenderat högsta värde som inte bör överskridas)
Regulatory reference	Hygieniska gränsvärden (AFS 2018:1)
Iceland - Occupational Exposure Limits	
Local name	Trietanólamín
OEL TWA	5 mg/m <sup>3</sup>
Remark	O (efnið er öfnæmisvaldandi)
Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)
Norway - Occupational Exposure Limits	
Local name	Trietanolamin
Grenseverdi (OEL TWA) [1]	5 mg/m <sup>3</sup>
Regulatory reference	FOR-2021-06-28-2248
North Macedonia - Occupational Exposure Limits	
Local name	2,2',2"-нитрилотриетанол
OEL TWA	5 mg/m <sup>3</sup> (I) инхалабилна фракција – дел на вкупно суспендирани материји, кои работникот ги вдишува
Regulatory reference	Правилник за минималните барања за безбедност и здравје при работа на вработени од ризици поврзани со изложување на хемиски супстанции („Службен весник на Република Македонија“ бр.46/10)
Switzerland - Occupational Exposure Limits	
Local name	Triéthanolamine / Triethanolamin
MAK (OEL TWA) [1]	5 mg/m <sup>3</sup> (i) / (e)
KZGW (OEL STEL)	5 mg/m <sup>3</sup> (i) / (e)
Critical toxicity	VRS, Peau, Yeux / OAW, Haut, Auge
Notation	SS <sub>C</sub> / SS <sub>C</sub>
Remark	NIOSH
Regulatory reference	www.suva.ch, 01.01.2023
USA - ACGIH - Occupational Exposure Limits	
Local name	Triethanolamine
ACGIH OEL TWA	5 mg/m <sup>3</sup>
Remark (ACGIH)	TLV® Basis: Eye & skin irr
Regulatory reference	ACGIH 2023
Glycerin (56-81-5)	
Belgium - Occupational Exposure Limits	
Local name	Glycérine (brouillard) # Glycerine (nevel)
OEL TWA	10 mg/m <sup>3</sup>
Regulatory reference	Koninklijk besluit/Arrêté royal 19/11/2020

# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Glycerin (56-81-5)	
Croatia - Occupational Exposure Limits	
Local name	Glicerol
GVI (OEL TWA) [1]	10 mg/m <sup>3</sup>
Regulatory reference	Pravilnik o izmjenama i dopunama Pravilnika o graničnim vrijednostima izloženosti opasnim tvarima pri radu i o biološkim graničnim vrijednostima (NN 1/2021)
Czech Republic - Occupational Exposure Limits	
Local name	Glycerol, mlha
PEL (OEL TWA)	10 mg/m <sup>3</sup>
PEL (OEL TWA) [ppm]	2,6 ppm
NPK-P (OEL C)	15 mg/m <sup>3</sup>
NPK-P (OEL C) [ppm]	3,9 ppm
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 195/2021 Sb.)
Estonia - Occupational Exposure Limits	
Local name	Glütseriin (glütserool, 1,2,3-propaantriool)
OEL TWA	10 mg/m <sup>3</sup>
Regulatory reference	Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 17.10.2019, 2); Vabariigi Valitsuse 10. märtsi 2019. a määruse nr 84
Finland - Occupational Exposure Limits	
Local name	Glyseroli
HTP (OEL TWA) [1]	20 mg/m <sup>3</sup>
Regulatory reference	HTP-ARVOT 2020 (Sosiaali- ja terveystieteiden ministeriö)
France - Occupational Exposure Limits	
Local name	Glycérine (aérosols de)
VME (OEL TWA)	10 mg/m <sup>3</sup>
Remark	Valeurs recommandées/admises
Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)
Germany - Occupational Exposure Limits (TRGS 900)	
AGW (OEL TWA) [1]	200 mg/m <sup>3</sup> (E)
Peak exposure limitation factor	2(I)
Remark	DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden
Regulatory reference	TRGS900
Greece - Occupational Exposure Limits	
Local name	Γλυκερίνη
OEL TWA	10 mg/m <sup>3</sup>
Regulatory reference	Π.Δ. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους
Poland - Occupational Exposure Limits	
Local name	Glicerol

# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Glycerin (56-81-5)</b>	
NDS (OEL TWA)	10 mg/m <sup>3</sup> frakcija wdychalna
Remark	Frakcija wdychalna – frakcija aerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia.
Regulatory reference	Dz. U. 2018 poz. 1286
<b>Slovakia - Occupational Exposure Limits</b>	
Local name	Glycerín
NPHV (OEL TWA) [1]	10 mg/m <sup>3</sup>
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)
<b>Slovenia - Occupational Exposure Limits</b>	
Local name	glicerín
OEL TWA	200 mg/m <sup>3</sup>
OEL STEL	400 mg/m <sup>3</sup>
Remark	Y (Snovi, pri katerih ni nevarnosti za zarodek ob upoštevanju mejnih vrednosti in bat vrednosti)
Regulatory reference	Uradni list RS, št. 72/2021 z dne 11.5.2021
<b>Spain - Occupational Exposure Limits</b>	
Local name	Glicerina
VLA-ED (OEL TWA) [1]	10 mg/m <sup>3</sup> nieblas
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2021. INSHT
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Glycerol
WEL TWA (OEL TWA) [1]	10 mg/m <sup>3</sup>
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
<b>Switzerland - Occupational Exposure Limits</b>	
Local name	Glycérine / Glycerin
MAK (OEL TWA) [1]	50 mg/m <sup>3</sup> (i) / (e)
KZGW (OEL STEL)	100 mg/m <sup>3</sup> (i) / (e)
Critical toxicity	VRS / OAW
Notation	SS <sub>C</sub> / SS <sub>C</sub>
Regulatory reference	www.suva.ch, 01.01.2021
<b>Propylene Glycol (57-55-6)</b>	
<b>Croatia - Occupational Exposure Limits</b>	
Local name	Propane-1,2-diol
GVI (OEL TWA) [1]	474 mg/m <sup>3</sup> ukupno pare i čestice 10 mg/m <sup>3</sup> samo čestice
GVI (OEL TWA) [2]	150 ppm ukupno pare i čestice
Regulatory reference	Pravilnik o izmjenama i dopunama Pravilnika o graničnim vrijednostima izloženosti opasnim tvarima pri radu i o biološkim graničnim vrijednostima (NN 1/2021)
<b>Ireland - Occupational Exposure Limits</b>	
Local name	Propane-1,2-diol [Propylene glycol]

# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Propylene Glycol (57-55-6)</b>	
OEL TWA [1]	470 mg/m <sup>3</sup> total (vapour and particulates) 10 mg/m <sup>3</sup> particulates
OEL TWA [2]	150 ppm total (vapour and particulates)
Regulatory reference	Chemical Agents Code of Practice 2021
<b>Latvia - Occupational Exposure Limits</b>	
Local name	Propilēnglikols (1,2-propāndiols)
OEL TWA	7 mg/m <sup>3</sup>
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325
<b>Lithuania - Occupational Exposure Limits</b>	
Local name	Propilenglikolis
IPRV (OEL TWA)	7 mg/m <sup>3</sup>
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)
<b>Poland - Occupational Exposure Limits</b>	
Local name	Propano-1,2-diol
NDS (OEL TWA)	100 mg/m <sup>3</sup> pary i frakcja wdychalna
Remark	Frakcja wdychalna – frakcja aerozolu wnikaćca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia.
Regulatory reference	Dz. U. 2018 poz. 1286
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Propane-1,2-diol
WEL TWA (OEL TWA) [1]	474 mg/m <sup>3</sup> 10 mg/m <sup>3</sup>
WEL TWA (OEL TWA) [2]	150 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
<b>Norway - Occupational Exposure Limits</b>	
Local name	Propan-1,2-diol
Grenseverdi (OEL TWA) [1]	79 mg/m <sup>3</sup>
Grenseverdi (OEL TWA) [2]	25 ppm
Regulatory reference	FOR-2021-06-28-2248
<b>Black 7 (Cl:77266) (1333-86-4)</b>	
<b>Belgium - Occupational Exposure Limits</b>	
Local name	Carbone (noir de) # Koolzwart
OEL TWA	3 mg/m <sup>3</sup>
Regulatory reference	Koninklijk besluit/Arrêté royal 19/11/2020
<b>Croatia - Occupational Exposure Limits</b>	
Local name	Ugljik-crni
GVI (OEL TWA) [1]	3,5 mg/m <sup>3</sup>
KGVI (OEL STEL)	7 mg/m <sup>3</sup>
Regulatory reference	Pravilnik o izmjenama i dopunama Pravilnika o graničnim vrijednostima izloženosti opasnim tvarima pri radu i o biološkim graničnim vrijednostima (NN 1/2021)



# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Black 7 (CI:77266) (1333-86-4)	
Czech Republic - Occupational Exposure Limits	
Local name	Amorfní uhlík (Carbon Black)
PEL (OEL TWA)	10 mg/m <sup>3</sup>
Remark	Prachy s převážně nespecifickým účinkem.
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 195/2021 Sb.)
Denmark - Occupational Exposure Limits	
Local name	Carbon black
OEL TWA [1]	3,5 mg/m <sup>3</sup>
Remark	K (betyder, at stoffet anses for at kunne være kræftfremkaldende)
Regulatory reference	BEK nr 1426 af 28. juni 2021
Finland - Occupational Exposure Limits	
Local name	Nokimusta
HTP (OEL TWA) [1]	3,5 mg/m <sup>3</sup>
HTP (OEL STEL)	7 mg/m <sup>3</sup>
Regulatory reference	HTP-ARVOT 2020 (Sosiaali- ja terveystieteiden ministeriö)
France - Occupational Exposure Limits	
Local name	Noir de carbone
VME (OEL TWA)	3,5 mg/m <sup>3</sup>
Remark	Valeurs recommandées/admises
Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)
Greece - Occupational Exposure Limits	
Local name	Αιθάλη
OEL TWA	3,5 mg/m <sup>3</sup>
OEL STEL	7 mg/m <sup>3</sup>
Regulatory reference	Π.Δ. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους
Hungary - Occupational Exposure Limits	
Local name	Ipari korom [„Carbon Black”]
AK (OEL TWA)	3 mg/m <sup>3</sup> belélegezhető koncentráció
Regulatory reference	5/2020. (II. 6.) ITM rendelet - A kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
Ireland - Occupational Exposure Limits	
Local name	Carbon black
OEL TWA [1]	3 mg/m <sup>3</sup> I (Inhalable Fraction)
Regulatory reference	Chemical Agents Code of Practice 2021
Poland - Occupational Exposure Limits	
Local name	Sadza techniczna
NDS (OEL TWA)	4 mg/m <sup>3</sup> frakcja wdychalna
Remark	Frakcja wdychalna – frakcja aerozolu wnikaćca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia.

# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Black 7 (CI:77266) (1333-86-4)</b>	
Regulatory reference	Dz. U. 2018 poz. 1286
<b>Portugal - Occupational Exposure Limits</b>	
Local name	Carbono, preto (Negro de fumo)
OEL TWA	3 mg/m <sup>3</sup> I (Fracção inalável)
Remark	A3 (Agente carcinogénico confirmado nos animais de laboratório com relevância desconhecida no Homem)
Regulatory reference	Norma Portuguesa NP 1796:2014
<b>Spain - Occupational Exposure Limits</b>	
Local name	Negro de humo
VLA-ED (OEL TWA) [1]	3,5 mg/m <sup>3</sup>
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2021. INSHT
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Carbon black
WEL TWA (OEL TWA) [1]	3,5 mg/m <sup>3</sup>
WEL STEL (OEL STEL)	7 mg/m <sup>3</sup>
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
<b>Iceland - Occupational Exposure Limits</b>	
Local name	Kolefni
OEL TWA	3,5 mg/m <sup>3</sup>
Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)
<b>Norway - Occupational Exposure Limits</b>	
Local name	Carbon Black (lampesot)
Grenseverdi (OEL TWA) [1]	3,5 mg/m <sup>3</sup>
Regulatory reference	FOR-2021-06-28-2248
<b>USA - ACGIH - Occupational Exposure Limits</b>	
Local name	Carbon black
ACGIH OEL TWA	3 mg/m <sup>3</sup> (Inhalable fraction)
Remark (ACGIH)	TLV® Basis: Bronchitis. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2021
<b>Benzyl Alcohol (100-51-6)</b>	
<b>Bulgaria - Occupational Exposure Limits</b>	
Local name	Бензилналкохол
OEL TWA	5 mg/m <sup>3</sup>
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр. 47 от 2021 г., в сила от 04.06.2021 г.)
<b>Czech Republic - Occupational Exposure Limits</b>	
Local name	Benzylalkohol

# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Benzyl Alcohol (100-51-6)</b>	
PEL (OEL TWA)	40 mg/m <sup>3</sup>
PEL (OEL TWA) [ppm]	9 ppm
NPK-P (OEL C)	80 mg/m <sup>3</sup>
NPK-P (OEL C) [ppm]	18 ppm
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 195/2021 Sb.)
<b>Finland - Occupational Exposure Limits</b>	
Local name	Bentsyylialkoholi
HTP (OEL TWA) [1]	45 mg/m <sup>3</sup>
HTP (OEL TWA) [2]	10 ppm
Regulatory reference	HTP-ARVOT 2020 (Sosiaali- ja terveysministeriö)
<b>Germany - Occupational Exposure Limits (TRGS 900)</b>	
AGW (OEL TWA) [1]	22 mg/m <sup>3</sup>
AGW (OEL TWA) [2]	5 ppm
Peak exposure limitation factor	2(I)
Remark	DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); H - hautresorptiv; Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden; 11 - Summe aus Dampf und Aerosolen
Regulatory reference	TRGS900
<b>Latvia - Occupational Exposure Limits</b>	
Local name	Benzilspirts (fenilmetanols, fenilkarbinols)
OEL TWA	5 mg/m <sup>3</sup>
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325
<b>Lithuania - Occupational Exposure Limits</b>	
Local name	Benzilo alkoholis
IPRV (OEL TWA)	5 mg/m <sup>3</sup>
Remark	O (medžiaga į organizmą gali prasiskverbti pro nepažeistą odą); Ū (ūmus poveikis)
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)
<b>Poland - Occupational Exposure Limits</b>	
Local name	Fenylometanol
NDS (OEL TWA)	240 mg/m <sup>3</sup>
Regulatory reference	Dz. U. 2018 poz. 1286
<b>Slovenia - Occupational Exposure Limits</b>	
Local name	benzilalkohol
OEL TWA	22 mg/m <sup>3</sup>
OEL TWA [ppm]	5 ppm
OEL STEL	44 mg/m <sup>3</sup>
OEL STEL [ppm]	10 ppm
Remark	K (Lastnost lažjega prehajanja snovi v organizem skozi kožo), Y (Snovi, pri katerih ni nevarnosti za zarodek ob upoštevanju mejnih vrednosti in bat vrednosti)

# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Benzyl Alcohol (100-51-6)	
Regulatory reference	Uradni list RS, št. 72/2021 z dne 11.5.2021
Switzerland - Occupational Exposure Limits	
Local name	Alcool benzylique / Benzylalkohol
MAK (OEL TWA) [1]	22 mg/m <sup>3</sup>
MAK (OEL TWA) [2]	5 ppm
Critical toxicity	VR / AW
Notation	R, SS <sub>C</sub> / H, SS <sub>C</sub>
Remark	NIOSH
Regulatory reference	www.suva.ch, 01.01.2021
Sodium Bisulfite (7631-90-5)	
Belgium - Occupational Exposure Limits	
Local name	Sodium (bisulfite de) # Natriumbisulfiet
OEL TWA	5 mg/m <sup>3</sup>
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021
Croatia - Occupational Exposure Limits	
Local name	Natrijev hidrogensulfid; natrijev bisulfid
GVI (OEL TWA) [1]	5 mg/m <sup>3</sup>
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)
Denmark - Occupational Exposure Limits	
Local name	Natriumhydrogensulfid (Natriumbisulfid)
OEL TWA [1]	5 mg/m <sup>3</sup>
Regulatory reference	BEK nr 2203 af 29. november 2021
France - Occupational Exposure Limits	
Local name	Sodium (bisulfite de)
VME (OEL TWA)	5 mg/m <sup>3</sup>
Remark	Valeurs recommandées/admises
Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)
Greece - Occupational Exposure Limits	
Local name	Διθειώδες νάτριο ή όξινο θειώδες νάτριο
OEL TWA	5 mg/m <sup>3</sup>
Regulatory reference	Π.Δ. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους
Ireland - Occupational Exposure Limits	
Local name	Sodium bisulfite [Sodium hydrogensulphite]
OEL TWA [1]	5 mg/m <sup>3</sup>
Regulatory reference	Chemical Agents Code of Practice 2021
Portugal - Occupational Exposure Limits	
Local name	Bissulfito de sódio

# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Sodium Bisulfite (7631-90-5)</b>	
OEL TWA	5 mg/m <sup>3</sup>
Remark	A4 (Agente não classificável como carcinogénico no Homem)
Regulatory reference	Norma Portuguesa NP 1796:2014
<b>Spain - Occupational Exposure Limits</b>	
Local name	Bisulfito de sodio
VLA-ED (OEL TWA) [1]	5 mg/m <sup>3</sup>
Remark	s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/o como biocida. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos biocidas: <a href="http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas">http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas</a> Base de datos de productos fitosanitarios <a href="http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf">http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf</a> ).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2022. INSHT
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Sodium hydrogen sulphite
WEL TWA (OEL TWA) [1]	5 mg/m <sup>3</sup>
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
<b>Iceland - Occupational Exposure Limits</b>	
Local name	Natriumhýdrógensúlfat (natríumbísúlfat)
OEL TWA	5 mg/m <sup>3</sup>
Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)
<b>Norway - Occupational Exposure Limits</b>	
Local name	Natriumhydrogensulfitt (Natriumbisulfitt)
Grenseverdi (OEL TWA) [1]	5 mg/m <sup>3</sup>
Regulatory reference	FOR-2021-06-28-2248
<b>Switzerland - Occupational Exposure Limits</b>	
Local name	Bisulfite de sodium / Natriumbisulfit
MAK (OEL TWA) [1]	5 mg/m <sup>3</sup> (i) / (e)
Critical toxicity	Peau, Yeux / Haut, Auge
Remark	OSHA
Regulatory reference	www.suva.ch, 28.03.2022
<b>USA - ACGIH - Occupational Exposure Limits</b>	
Local name	Sodium bisulfite
ACGIH OEL TWA	5 mg/m <sup>3</sup>
Remark (ACGIH)	TLV® Basis: Skin, eye, & URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2022
<b>Ammonium Hydroxide (pH regulator) (1336-21-6)</b>	
<b>Finland - Occupational Exposure Limits</b>	
Local name	Ammoniakkiliuos
HTP (OEL TWA) [1]	14 mg/m <sup>3</sup>

# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Ammonium Hydroxide (pH regulator) (1336-21-6)

HTP (OEL TWA) [2]	20 ppm
HTP (OEL STEL)	36 mg/m <sup>3</sup>
HTP (OEL STEL) [ppm]	50 ppm
Regulatory reference	HTP-ARVOT 2020 (Sosiaali- ja terveysministeriö)

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

##### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

##### Personal protective equipment symbol(s):



##### 8.2.2.1. Eye and face protection

###### Eye protection:

Safety glasses

##### 8.2.2.2. Skin protection

###### Skin and body protection:

Wear suitable protective clothing

###### Hand protection:

Protective gloves

##### 8.2.2.3. Respiratory protection

###### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

##### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

##### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Not available

# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Odour	: Characteristic odour.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: > 100 °C
Flammability	: Non flammable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 92 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 7,5 – 8,5
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Skin corrosion/irritation : Not classified.  
pH: 7,5 – 8,5

<b>Aqua (7732-18-5)</b>	
pH	7
<b>Paraffinum Liquidum</b>	
pH	No data available in the literature
<b>Yellow 42 (CI:77492) (51274-00-1)</b>	
pH	3,5 – 7,5 Source: GESTIS
<b>White 6 (CI:77891) (13463-67-7)</b>	
pH	7 (aqueous suspension, 10 %)
<b>Triethanolamine (102-71-6)</b>	
pH	11 (25 %)
<b>Glycerin (56-81-5)</b>	
pH	No data available in the literature
<b>Propylene Glycol (57-55-6)</b>	
pH	6,5 – 7,5 (50 %)
<b>Black 7 (CI:77266) (1333-86-4)</b>	
pH	4 – 11 (5 %, 20 °C)
<b>Benzyl Alcohol (100-51-6)</b>	
pH	No data available in the literature
<b>Ammonium Hydroxide (pH regulator) (1336-21-6)</b>	
pH	11,7

Serious eye damage/irritation : Not classified  
pH: 7,5 – 8,5

<b>Aqua (7732-18-5)</b>	
pH	7
<b>Paraffinum Liquidum</b>	
pH	No data available in the literature
<b>Yellow 42 (CI:77492) (51274-00-1)</b>	
pH	3,5 – 7,5 Source: GESTIS
<b>White 6 (CI:77891) (13463-67-7)</b>	
pH	7 (aqueous suspension, 10 %)
<b>Triethanolamine (102-71-6)</b>	
pH	11 (25 %)
<b>Glycerin (56-81-5)</b>	
pH	No data available in the literature
<b>Propylene Glycol (57-55-6)</b>	
pH	6,5 – 7,5 (50 %)



# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Black 7 (CI:77266) (1333-86-4)</b>	
pH	4 – 11 (5 %, 20 °C)
<b>Benzyl Alcohol (100-51-6)</b>	
pH	No data available in the literature
<b>Ammonium Hydroxide (pH regulator) (1336-21-6)</b>	
pH	11,7
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified.
<b>White 6 (CI:77891) (13463-67-7)</b>	
IARC group	2B - Possibly carcinogenic to humans
<b>Triethanolamine (102-71-6)</b>	
IARC group	3 - Not classifiable
<b>Black 7 (CI:77266) (1333-86-4)</b>	
IARC group	2B - Possibly carcinogenic to humans
<b>Sodium Bisulfite (7631-90-5)</b>	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified.
Aspiration hazard	: Not classified
<b>Paraffinum Liquidum</b>	
Viscosity, kinematic	> 3 mm²/s (40 °C, ISO 3104: Determination of kinematic viscosity and calculation of dynamic viscosity)
<b>Yellow 42 (CI:77492) (51274-00-1)</b>	
Viscosity, kinematic	Not applicable (solid)
<b>White 6 (CI:77891) (13463-67-7)</b>	
Viscosity, kinematic	Not applicable (solid)
<b>Triethanolamine (102-71-6)</b>	
Viscosity, kinematic	830,2 mm²/s (20 °C, Equivalent or similar to OECD 114)
<b>Glycerin (56-81-5)</b>	
Viscosity, kinematic	No data available in the literature
<b>Propylene Glycol (57-55-6)</b>	
Viscosity, kinematic	41,84 mm²/s
<b>Black 7 (CI:77266) (1333-86-4)</b>	
Viscosity, kinematic	No data available (test not performed)
<b>Benzyl Alcohol (100-51-6)</b>	
Viscosity, kinematic	No data available in the literature
<b>Ammonium Hydroxide (pH regulator) (1336-21-6)</b>	
Viscosity, kinematic	No data available in the literature

# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified.
Not rapidly degradable	

### 12.2. Persistence and degradability

#### Paraffinum Liquidum

Persistence and degradability	Not readily biodegradable in water.
-------------------------------	-------------------------------------

#### Yellow 42 (CI:77492) (51274-00-1)

Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
BOD (% of ThOD)	Not applicable (inorganic)

#### White 6 (CI:77891) (13463-67-7)

Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

#### Triethanolamine (102-71-6)

Persistence and degradability	Biodegradable in the soil. No inhibition of nitrification. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0,02 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	1,5 g O <sub>2</sub> /g substance
ThOD	2,04 g O <sub>2</sub> /g substance

#### Glycerin (56-81-5)

Persistence and degradability	Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0,87 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	1,16 g O <sub>2</sub> /g substance
ThOD	1,217 g O <sub>2</sub> /g substance

#### Propylene Glycol (57-55-6)

Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0,96 – 1,08 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	1,63 g O <sub>2</sub> /g substance
ThOD	1,69 g O <sub>2</sub> /g substance

# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Black 7 (CI:77266) (1333-86-4)

Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

### Benzyl Alcohol (100-51-6)

Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
-------------------------------	--

### Ammonium Hydroxide (pH regulator) (1336-21-6)

Persistence and degradability	Biodegradable in the soil. Contains readily biodegradable component(s).
-------------------------------	---

## 12.3. Bioaccumulative potential

No additional information available

## 12.4. Mobility in soil

### Paraffinum Liquidum

Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2,64 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for adsorption in soil.

### Yellow 42 (CI:77492) (51274-00-1)

Surface tension	Not applicable (solid)
Ecology - soil	Adsorbs into the soil.

### White 6 (CI:77891) (13463-67-7)

Surface tension	No data available in the literature
Ecology - soil	Low potential for mobility in soil.

### Triethanolamine (102-71-6)

Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1,06 – 1,27 (log Koc, SRC PCKOCWIN v1.66, Calculated value)
Ecology - soil	Highly mobile in soil.

### Glycerin (56-81-5)

Surface tension	63,4 mN/m (20 °C, 1000 g/l)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.

### Red 254 (CI:56110) (84632-65-5)

Mobility in soil	77540 Source: Quantitative Structure Activity Relation
------------------	--

### Propylene Glycol (57-55-6)

Surface tension	71,6 mN/m (21.5 °C, 1.01 g/l, EU Method A.5: Surface tension)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0,46 (log Koc, Calculated value)
Ecology - soil	Highly mobile in soil.

# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Black 7 (CI:77266) (1333-86-4)	
Surface tension	Not applicable (solid)
Ecology - soil	No (test)data on mobility of the substance available. Not toxic to plants. Not toxic to animals.
Benzyl Alcohol (100-51-6)	
Surface tension	39 mN/m (20 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1,122 – 1,332 (log Koc, SRC PCKOCWIN v2.0, QSAR)
Ecology - soil	Highly mobile in soil.
Ammonium Hydroxide (pH regulator) (1336-21-6)	
Surface tension	No data available in the literature
Ecology - soil	No (test)data on mobility of the component(s) available.
Lecithin (8002-43-5)	
Mobility in soil	28,57 Source: Quantitative Structure Activity Relation

### 12.5. Results of PBT and vPvB assessment

Component	
Paraffinum Liquidum	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Yellow 42 (CI:77492) (51274-00-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
White 6 (CI:77891) (13463-67-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Triethanolamine (102-71-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Glycerin (56-81-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Propylene Glycol (57-55-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Black 7 (CI:77266) (1333-86-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Benzyl Alcohol (100-51-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Ammonium Hydroxide (pH regulator) (1336-21-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
Not regulated for transport				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.2. UN proper shipping name</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.4. Packing group</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

#### Inland waterway transport

Not regulated

#### Rail transport

Not regulated

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

Comply with applicable regulations

: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. COMMISSION REGULATION (EU) 2020/2081 of 14 December 2020 amending Annex XVII to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) as regards substances in tattoo inks or permanent make-up, Official Journal of the European Union as of 15th December 2020, L 423/6. Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006. Not classified as dangerous according to the criteria of directive(s) 67/548/EEC and/or 1999/45/EC. Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008. Official Journal of the European Union 27.7.2012, No L 201/60. Classification EC 67/548 or EC 1999/45.

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

##### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 15.1.2. National regulations

#### France

Occupational diseases	
Code	Description
RG 49	Skin disorders caused by aliphatic, alicyclic amines or ethanolamines
RG 49 BIS	Respiratory disorders caused by aliphatic amines, ethanolamines or isophoronediamine
RG 66	Occupational rhinitis and asthma
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamide; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

#### Germany

Employment restrictions

- : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).
- : Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).

Water hazard class (WGK)

- : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Storage class (LGK, TRGS 510)

- : LGK 12 - Non-combustible liquids.

Joint storage table

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for

- : LGK 1, LGK 6.2, LGK 7.

Joint storage with restrictions permitted for

- : LGK 4.1A, LGK 4.3, LGK 5.1C.

Joint storage permitted for

- : LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13.

Hazardous Incident Ordinance (12. BImSchV)

- : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

#### Netherlands

ABM category

- : B(3) - hazardous for aquatic organisms

SZW-lijst van kankerverwekkende stoffen

- : is listed

SZW-lijst van mutagene stoffen

- : is listed

SZW-lijst van reprotoxische stoffen – Borstvoeding

- : None of the components are listed

SZW-lijst van reprotoxische stoffen –

- : None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling

- : None of the components are listed

#### Denmark

Classification remarks

- : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations

- : Young people below the age of 18 years are not allowed to use the product
- : Pregnant/breastfeeding women working with the product must not be in direct contact with the product
- : The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

#### Switzerland

Storage class (LK)

- : LK 10/12 - Liquids

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 16: Other information

#### Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

#### Full text of H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
-----------------------	-------------------------------------



# Dark Brown LUXE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Carc. 2	Carcinogenicity, Category 2
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
H251	Self-heating: may catch fire.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Self-heat. 1	Self-Heating Substances and Mixtures, Category 1
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.